

Original Paper

Social Media in Health Science Education: An International Survey

Elizabeth O'Sullivan¹; Emily Cutts², MPharm; Sushma Kavikondala³, MSc, MPhil, PhD; Alejandra Salcedo⁴, MD; Karan D'Souza⁵, BSc, MM; Martin Hernandez-Torre⁴, MD; Claire Anderson², BPharm, PhD; Agnes Tiwari³, RN, FAAN, PhD; Kendall Ho⁵, FRCPC, MD; Jason Last¹, MSc, BAO, MB

¹School of Medicine, University College Dublin, Dublin, Ireland

²School of Pharmacy, University of Nottingham, Nottingham, United Kingdom

³School of Nursing, University of Hong Kong, Hong Kong, China

⁴Escuela Nacional de Medicina, Tecnológico de Monterrey, Monterrey, Mexico

⁵Faculty of Medicine, University of British Columbia, Vancouver, BC, Canada

Corresponding Author:

Elizabeth O'Sullivan

School of Medicine

University College Dublin

101 The Maples

Clonskeagh

Dublin,

Ireland

Phone: 353 860708576

Email: lizzie.o-sullivan@ucdconnect.ie

Abstract

Background: Social media is an asset that higher education students can use for an array of purposes. Studies have shown the merits of social media use in educational settings; however, its adoption in health science education has been slow, and the contributing reasons remain unclear.

Objective: This multidisciplinary study aimed to examine health science students' opinions on the use of social media in health science education and identify factors that may discourage its use.

Methods: Data were collected from the Universitas 21 "Use of social media in health education" survey, distributed electronically among the health science staff and students from 8 universities in 7 countries. The 1640 student respondents were grouped as users or nonusers based on their reported frequency of social media use in their education.

Results: Of the 1640 respondents, 1343 (81.89%) use social media in their education. Only 462 of the 1320 (35.00%) respondents have received specific social media training, and of those who have not, the majority (64.9%, 608/936) would like the opportunity. Users and nonusers reported the same 3 factors as the top barriers to their use of social media: uncertainty on policies, concerns about professionalism, and lack of support from the department. Nonusers reported all the barriers more frequently and almost half of nonusers reported not knowing how to incorporate social media into their learning. Among users, more than one fifth (20.5%, 50/243) of students who use social media "almost always" reported sharing clinical images without explicit permission.

Conclusions: Our global, interdisciplinary study demonstrates that a significant number of students across all health science disciplines self-reported sharing clinical images inappropriately, and thus request the need for policies and training specific to social media use in health science education.

(*JMIR Med Educ* 2017;3(1):e1) doi:[10.2196/mededu.6304](https://doi.org/10.2196/mededu.6304)

KEYWORDS

health education; health surveys; interdisciplinary studies; learning; professionalism; self report; social media; students; surveys and questionnaires; universities

Introduction

Social media facilitates information sharing, including user-generated content, and has transformed the way we communicate. As of 2010, The Millennial Generation, individuals born between 1980 and 2000, comprised the major users of social media, with approximately 75% having a personal social networking page (eg, Facebook profile) and 61% perceiving sharing of personal data and images through social media as positive [1].

Health care professionals and health science students use social media as much as the general population [2] with approximately 90% of practicing doctors, nursing staff, and allied health care professionals having Facebook pages for personal or professional use [3]. Social media has implications in health science education due to patient and provider confidentiality; however, till date there is little instruction in the mainstream health science education to help students securely and appropriately engage with digital media [4,5], and wherever these guidelines are available, they have been mostly created by practicing health care professionals and academicians without the input of students and often lack definitions of professionalism as applied to online presence [6]. In recent years, a few studies incorporating the views of the broader health care provider community have come up with guidelines and frameworks that could help health science students and health care professionals to better embrace the positive aspects of social media in health care [4,7], although much needs to be done by universities and professional bodies in incorporating and providing these guidelines to students and professionals.

A recent survey among medical students showed that there is little consensus on what constitutes unprofessional behavior beyond the US Health Insurance Portability Act violations and students have felt that posting inappropriate material on personal social media sites was “unavoidable” [8,9]. Furthermore, studies have reported that students are unaware of ethical concerns posed by social media usage [10]; and even if students are aware of the importance of online professionalism, they do not feel it is relevant to them until they graduate and have an actual online professional identity [11]. Studies have also reported that students do not want or need formal policies for posting content online [9] and in fact, considered any enquiries into their social media use as “intrusive” and believed social media use to be too personal a topic for discussion [12]. Health science students struggle with the concepts associated with professionalism [13,14], and often fail to recognize the effect of their social media activities on future professional goals. In an age of growing social media influence and an increase in the perceived distrust of health care professionals by the public [15], it is important for schools to use an evidence-based approach to policy creation and to involve students in the process of the creation of these policies.

Although focus groups, surveys, and reviews of the literature have gathered usage information and perspectives from medical students and doctors [8,16,17], including a study that gathered information on health science students' media preferences and how often they use social media sites, and evaluated their

responses to advertisements [18], no study to our knowledge, has examined the user profiles, attitudes, and perspectives of students from multiple disciplines and multiple cultures on the use of social media in health science education. Understanding the demographics and perceptions of students in different health science disciplines may be imperative to developing better student guidelines.

The purpose of this study was to examine the use of social media by students in health science education as well as the barriers to its use. By doing so, we can identify what could promote social media's use as an educational tool among health science students as well as how to improve its appropriate use.

Methods

The Universitas 21 Health Science Group (U21HSG) is a group of research-intensive universities committed to working together and pooling resources to conduct research in health science education. U21HSG conducted this large-scale, international study that involved 8 universities, which explored the user demographics, perceptions, and usage behaviors of dentistry, medical, nursing, pharmacy, physiotherapy, public health, and other allied health care students to social media use.

U21HSG developed an extensive survey to explore how social media is being used in health science education as well as educators' and students' opinions on it. The survey was trialled with students and faculty members within U21HSG first. Based on the feedback, we modified the survey and then distributed it subsequently in a more widespread approach. The results from the original trial were not included in our final analysis. The survey was first distributed among the members of the group as a trial. Feedback was received from the group, and the survey was modified accordingly before distribution. Prior to the distribution of the survey, an ethical approval was sought and granted from all 8 institutions. The Web-based survey was hosted using the FluidSurveys (SurveyMonkey) platform and was distributed among health science educators and students in the following 8 universities: Fudan University (China), Tecnologico de Monterrey (Mexico), University College Dublin (Ireland), University of British Columbia (Canada), University of Nottingham (United Kingdom), University of Birmingham (United Kingdom), Hong Kong University (Hong Kong), and the University of Melbourne (Australia). Responses to the survey were anonymous and were received between April and October 2014.

For the purpose of the survey, social media was described to participants as “a rapidly developing group of powerful and ubiquitous technologies and set of sociotechnical approaches for people to connect, support, and learn from each other. In other words, any online platform in which people communicate with each other, for example, Twitter, Facebook, YouTube, wikis, blogs, and so on.”

Excluding educator responses left us with 2059 respondents, of which 419 either did not identify themselves as students or did not complete more than one question, and thus were excluded from the analysis. A total number of 1640 student responses

were received and included in this analysis. The significance threshold set was 0.05 ($P < .05$ is significant).

Students who reported using social media in their education “never” or “rarely” were categorized as “nonusers,” whereas those who reported using social media “sometimes,” “often,” or “almost always” were categorized as “users.” Respondents were divided into these 2 groups to see if users and nonusers use social media differently or view social media use in health science education differently.

Results

Of the 1640 student respondents, 1343 (81.89%) were users and 297 (18.11%) were nonusers. Usage across the health science disciplines ranged from 63% in pharmacy to 91% in physiotherapy with the mean usage of 80% across all disciplines.

Table 1 exhibits the demographics of the respondents and the relationship between the demographic factors and the usage. There was a statistically significant difference between the mean age of users and nonusers ($P = .003$); however, there was no significant difference in the usage of social media between men and women ($P > .99$).

Table 1. Demographic characteristics of users and nonusers of social media.

Demographic characteristics	Users	Nonusers	Total	<i>P</i> value
Age in years, mean (SD)	n=1351 23.1 (4.74)	n=297 24.05 (5.68)	n=1648 23.25 (4.96)	.003
Gender, n (%)	n=1342	n=297	n=1639	>.99
Male	444 (81.9)	98 (18.1)	542 (33.07)	
Female	897 (81.84)	199 (18.16)	1096 (66.87)	
Nonbinary	1 (100)	0 (0)	1 (<0.1)	
University affiliation, n (%)	n=1505	n=296	n=1801	.001
Fudan University	55 (78)	16 (23)	71 (3.94)	
Tecnologico de Monterrey	491 (89.9)	55 (10.1)	546 (30.31)	
University College Dublin	336 (82.2)	73 (17.8)	409 (22.71)	
University of Birmingham	58 (78)	16 (22)	74 (4.11)	
University of British Columbia	52 (72)	20 (28)	72 (3.99)	
University of Hong Kong	83 (94)	5 (6)	88 (4.88)	
University of Melbourne	100 (86.9)	15 (13.1)	115 (6.38)	
University of Nottingham	330 (77.5)	96 (22.5)	426 (23.65)	

Among both users and nonusers, uncertainty on policies (51%, 68%, respectively), concerns about professionalism (46%, 57%), and lack of support from the department (39%, 57%) were the 3 biggest barriers to social media use. However, a much larger proportion of nonusers (47.0%, 119/253) did not understand how to incorporate it into their learning, compared with users (11.99%, 140/1167). Only 6.94% (80/1152) of the users failed to see the value of social media in education, compared with 29.8% (74/248) of nonusers ($P < .001$). Every barrier was more often reported by nonusers than users. The largest barrier among both groups was uncertainty on policy, which varied from institution to institution and ranged from 34% to 80%. The mean for all 8 global universities was 60%.

Factors that would encourage students to use social media in their education are shown in **Figure 1**. Departments had a big influence on students' social media use, as did peers. Evidence that social media use will enhance their learning would encourage users and nonusers alike to use social media.

Table 2 demonstrates that 858 of 1320 (65.00%) respondents did not receive training in social media policies and guidelines and that the majority of those who did not receive training would like to. The impact of social media training on students' confidence in using social media is also examined in **Table 2**.

Figure 1. Factors influencing social media use by health science students.




Table 2. Health science students' social media training.


Social media training	Users	Nonusers	Total
Training received on social media policy or guidelines from the faculty, n (%)	n=1091	n=229	n=1320
Yes	393 (36.02)	69 (30.1)	462 (35.00)
No	698 (63.98)	160 (69.9)	858 (65.00)
Would like to receive training on social media policy or guidelines, n (%)	n=762	n=174	n=936
Yes	511 (67.1)	94 (54.0)	608 (64.9)
No	251 (32.9)	82 (46.0)	328 (35.1)
Did training increase confidence?	n=418	n=75	n=493
It increased confidence	250 (60.1)	28 (37)	278 (56.4)
It didn't affect confidence	168 (39.9)	47 (63)	215 (43.6)

Figure 2 shows the rates of sharing of different items among users and nonusers without explicit permission. Nonusers had lower rates of inappropriate sharing in all categories than their user counterparts. Both groups most often shared opinions on work experiences. More than 10% of both users and nonusers have shared clinical images without explicit permission.

Social media nonusers had fewer reported breaches of confidentiality. Table 3 represents inappropriate sharing among

users and nonusers and is broken down by their frequency of use. Those who used social media the most had the highest rate of inappropriate sharing of each category; however, nonusers did not always have the lowest rate.

Of the 174 respondents who had shared clinical images without permission, 50 (28.7%) either did not use security settings or did not know what their security settings were.

Figure 2. Inappropriate sharing of information by users and nonusers on social media.**Table 3.** Frequency of social media use and inappropriate sharing by health science students.

Information shared on social media	Nonusers n (%)	Sometimes n (%)	Often n (%)	Almost always n (%)
Patient information	82 (6)	29 (8)	25 (5)	29 (12)
Clinical images	26 (12)	44 (12)	55 (11)	50 (21)
Information about internal working environment	36 (16)	53 (15)	94 (19)	66 (28)
Images from working environment	34 (15)	54 (15)	89 (18)	78 (33)
Personal opinions on patients	17 (8)	39 (11)	42 (9)	31 (13)
Personal opinions on working experiences	54 (25)	85 (24)	154 (32)	92 (38)
Personal opinions on colleagues	49 (22)	75 (22)	129 (26)	86 (36)
Reshared any of the above posted by a fellow student	18 (8)	43 (12%)	55 (12)	56 (24)

Discussion

Principal Findings

As expected, most students (81.89% in total) from all health science disciplines were already using social media in their education. The biggest barriers to social media use among both users and nonusers were uncertainty on policies, concerns about professionalism, and lack of support from the department. All barriers were reported more frequently by nonusers than users. Not understanding how to incorporate social media into their learning is a barrier to almost half of the nonusers. Even a small portion of users reported not being sure of how to incorporate social media into their education. Having identified the 3 biggest barriers to health science students, institutions can understand the worries of their students and make guidelines and courses to help them become more comfortable with social media use.

Lack of support from the departments was one of the biggest barriers to social media use among users and nonusers alike and both groups identified that departments suggesting its use would influence their use of social media in their education. A similar study found that faculty reluctance was a barrier to social networking sites being used in third-level teaching [13]. Departments and faculty have a large influence on student's use

of social media in their education. Educational institutions need to identify ways to increase the pedagogical value of social media to encourage usage while establishing clear guidelines to support positive and healthy use of social media.

The fact that most students who did not receive social media use training and reported that they would want it in the future is a positive sign. Kind et al reported that students did not want or need formal policies for posting content online; however, our findings suggest the opposite that students want formal policies for posting content on social media [4]. Perhaps, student needs have changed with the rise in social media use since the paper was published in 2010, and we only expect this trend to continue as social media continues to grow and integrate as a learning tool.

More than half of the users who received training on social media policy reported that it increased their confidence in using social media for educational purposes, implying that this training was beneficial for these students. Perhaps there is room for more research among those who did not find the training beneficial, so that training can be improved based on the feedback of students. It would also be important to provide nonusers with ways to incorporate social media into education to increase their usage. Having frequent users or faculty members showing good

practices of social media use in education would be a good way to support nonusers for social media uptake.

Health science students have access to personal information about patients that must be kept confidential. This study shows that students across these 8 institutions distributed internationally share an alarming amount of inappropriate clinical information. The students who use social media the most reported a worrying amount of inappropriate sharing of clinical images. This figure (20.5%) substantiates one of the biggest concerns of social media use in health science education— confidentiality. Our findings suggest that appropriate training, policies, and guidelines be put in place to curb this. Students and faculty working together to ensure good practice and respect for patient privacy and confidentiality will play an important role in reducing the rate of inappropriate posting. Once social media is introduced with due care, it will be supported even by skeptics.

Conclusions

Although social media is being used for learning purposes by most health science students across the globe, many do so

without appropriate training. Also, a high rate of inappropriate posting of content without explicit permission was self-reported, thereby jeopardizing patient confidentiality and the student-patient relationship. Meanwhile, students are receptive to training in social media use, and having faculty's support can facilitate increase in social media usage for enhancement of education. Faculty clearly has an important role to play in ensuring social media's safe use by students. Ideally, staff should integrate social media education and policies into curricula to ensure that students are making the most of these digital assets and are doing so with the least possible risk.

Our findings suggest that training programs to engage students in social media policy with clear benefits of social media in health science be made and implemented in institutions around the world. The training should include guidance on how and when to report a breach of the policy, along with consequences of breaking the rules. By implementing a training program, it is envisaged more students would not only be aware of and adhere to the policy but also know how social media can be used in an effective and safe manner for the ultimate benefit of patients.

Conflicts of Interest

None declared.

References

1. Platt A. Teaching medicine to millennials. *J Physician Assist Educ* 2010;21:42-44. [Medline: [21141054](#)]
2. Campbell E, Donelan K, DesRoches C, Roman A, Bolcic-Jankovic D. The patient-doctor relationship and online social networks. *J Gen Intern Med* 2012;27(4):403. [Medline: [22311332](#)]
3. Modahl M, Tompsett L, Moorhead T. Doctors, Patients & Social Media. *Quantiamd*. 2011 URL: <http://www.quantiamd.com/q-qcp/DoctorsPatientSocialMedia.pdf> [accessed 2016-06-27] [WebCite Cache ID [6ia4R2WbD](#)]
4. Ellaway RH, Coral J, Topps D, Topps M. Exploring digital professionalism. *Med Teach* 2015;37(9):844-849. [doi: [10.3109/0142159X.2015.1044956](#)] [Medline: [26030375](#)]
5. Harrison B, Gill J, Jalali A. Social media etiquette for the modern medical student: a narrative review. *Int J Med Students* 2014;2(2):61-64.
6. Chretien KC, Kind T. Social media and clinical care: ethical, professional, and social implications. *Circulation* 2013 Apr 02;127(13):1413-1421 [FREE Full text] [doi: [10.1161/CIRCULATIONAHA.112.128017](#)] [Medline: [23547180](#)]
7. Pereira I, Cunningham AM, Moreau K, Sherbino J, Jalali A. Thou shalt not tweet unprofessionally: an appreciative inquiry into the professional use of social media. *Postgrad Med J* 2015 Oct;91(1080):561-564 [FREE Full text] [doi: [10.1136/postgradmedj-2015-133353](#)] [Medline: [26294333](#)]
8. Jain A, Petty EM, Jaber RM, Tackett S, Purkiss J, Fitzgerald J, et al. What is appropriate to post on social media? Ratings from students, faculty members and the public. *Med Educ* 2014 Feb;48(2):157-169. [doi: [10.1111/medu.12282](#)] [Medline: [24528398](#)]
9. Chretien K, Goldman E, Beckman L, Kind T. It's your own risk: medical students' perspectives on online professionalism. *Acad Med* 2010;85(10):S68-S71. [Medline: [20881708](#)]
10. Avci K, Celikden S, Eren S, Aydenizoz D. Assessment of medical students' attitudes on social media use in medicine: a cross-sectional study. *BMC Med Educ* 2015;15(18).
11. Kitsis EA, Milan FB, Cohen HW, Myers D, McEvoy M, Weingarten J, et al. Who's misbehaving? Perceptions of unprofessional social media use by medical students and faculty. *BMC Med Educ* 2016;16:67. [Medline: [26887561](#)]
12. White J, Kirwan P, Lai K, Walton J, Ross S. 'Have you seen what is on Facebook?' The use of social networking software by healthcare professions students. *BMJ Open* 2013;3:e003013. [doi: [10.1136/bmjopen-2013-003013](#)]
13. Dyrbye LN, Massie FS, Eacker A, Harper W, Power D, Durning SJ, et al. Relationship between burnout and professional conduct and attitudes among US medical students. *J Am Med Assoc* 2010 Sep 15;304(11):1173-1180. [doi: [10.1001/jama.2010.1318](#)] [Medline: [20841530](#)]
14. Hall M, Hanna L, Huey G. Use and views on social networking sites of pharmacy students in the United kingdom. *Am J Pharm Educ* 2013 Feb 12;77(1):9 [FREE Full text] [doi: [10.5688/ajpe7719](#)] [Medline: [23459621](#)]

15. Skochelak S. A decade of reports calling for change in medical education: what do they say? *Acad Med* 2010;85(9):S26-S33. [Medline: [20736563](#)]
16. Rocha PN, de Castro NA. Opinions of students from a Brazilian medical school regarding online professionalism. *J Gen Intern Med* 2014 May;29(5):758-764 [FREE Full text] [doi: [10.1007/s11606-013-2748-y](#)] [Medline: [24395103](#)]
17. Garner J, O'Sullivan H. Facebook and the professional behaviours of undergraduate medical students. *Clin Teach* 2010 Jun;7(2):112-115. [doi: [10.1111/j.1743-498X.2010.00356.x](#)] [Medline: [21134159](#)]
18. Giordano C, Giordano C. Health professions students' use of social media. *J Allied Health* 2011;40(2):78-81. [Medline: [21695367](#)]

Abbreviations

U21HSG: Universitas 21 Health Science Group

Edited by A Shachak; submitted 01.07.16; peer-reviewed by S Domb, T Bahr, E Cummings; comments to author 28.07.16; revised version received 17.10.16; accepted 04.11.16; published 04.01.17

Please cite as:

O'Sullivan E, Cutts E, Kavikondala S, Salcedo A, D'Souza K, Hernandez-Torre M, Anderson C, Tiwari A, Ho K, Last J
Social Media in Health Science Education: An International Survey

JMIR Med Educ 2017;3(1):e1

URL: <http://mededu.jmir.org/2017/1/e1/>

doi: [10.2196/mededu.6304](#)

PMID: [28052842](#)

©Elizabeth O'Sullivan, Emily Cutts, Sushma Kavikondala, Alejandra Salcedo, Karan D'Souza, Martin Hernandez-Torre, Claire Anderson, Agnes Tiwari, Kendall Ho, Jason Last. Originally published in JMIR Medical Education (<http://mededu.jmir.org>), 04.01.2017. This is an open-access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/2.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work, first published in JMIR Medical Education, is properly cited. The complete bibliographic information, a link to the original publication on <http://mededu.jmir.org/>, as well as this copyright and license information must be included.